



MPS PHARMAA LIMITED

(FORMERLY ADVIK LABORATORIES LIMITED)

Dated: 29-09-2025

**To,
The Manager (Listing),
BSE Limited,
01st Floor, P. J. Towers,
Dalal Street, Mumbai – 400001**

Subject: Intimation of Closure of Trading Window

Ref: BSE Scrip Code – 531686; ASE Scrip Code- 01636 (ADVIK LABO)

Dear Sir,

Pursuant to SEBI (Prohibition of Insider Trading) Regulations, 2015, as amended and Clarification given by BSE Limited vide Circular No. LIST/COMP/01/2019-20 dated April 02, 2019 pertaining to trading restriction period and pursuant to Company's code of conduct for prevention of Insider Trading to regulate, monitor and report trading by designated persons, the trading window of the Company shall remain closed for all the Directors, Promoters, KMPs, other Designated Persons/employees and their immediate relatives from Wednesday, 01st October, 2025 upto 48 hours after the Un-audited Financial Results of the Company for the quarter & half year ending 30th September, 2025 are declared to the Stock Exchange and made public.

The date of meeting of the Board of Directors to approve the Un-audited Financial Results of the Company for the quarter & half year ending 30th September, 2025 will be informed to the Exchange in due course.

Kindly take the above information on your records.

**Thanking You.
Yours Truly,
For MPS Pharmaa Limited
(Formerly Advik Laboratories Limited)**

**POOJA
CHUNI**

Digitally signed by
POOJA CHUNI
Date: 2025.09.29
12:28:48 +05'30'

**Pooja Chuni
Company Secretary**

**CC:
The Manager (Listing),
Ahmedabad Stock Exchange Limited
01st Floor, Kamdhenu Complex,
Opp. Sahajanand College,
Panjara Pole, Ambawadi, Ahmedabad – 380015**

CIN No. : L74899HR1994PLC038300

Corporate Office : 703, Arunachal building 19, Barakhamba Road, Connaught Place, New Delhi 110001

Phones: 011-42424884, 43571040-45, Fax: 011-43571047

Regd. Office & Factory: 138. Roz-Ka-Meo Industrial Area, Sohna - 122103 (Distt.Mewat), Haryana

Phones: 0124-2362471 Email:info@mpspharmaa.com Website: www.mpspharmaa.com